

Class C, Continued

MGC, MGC-GT	82
Morgan Super Sports	83
Porsche Carrera 1500, 1600	92
Porsche 911, 911L, 911T, 911S (Coupes) thru 1968	94
Porsche 911T Coupe/Targa Cabriolet 1969	97
Porsche 911T Coupe/Targa Cabriolet 1970, 1971	100
Porsche 911T, 911E, 911S Coupes/Targa Cabriolet 1972	101
Porsche 914/6 thru 1971	105
Sunbeam Tiger 260	116
Triumph TR-250	125
Triumph TR-5	126
Triumph TR-6 (SU)	127
Triumph TR-6 (F.I.)	128

Class D

AC Ace Bristol	2
Alfa Romeo 1750 Spider Veloce thru 1971	13
Alfa Romeo Spider 2000	14
Austin Healey 3000 MK I, II, III	27
Daimler SP 250	38
Datsun SRL 311U (Hitachi)	41
Elva Courier MK III 1800 & MK IV 1800	45
Elva Courier MK IV T Roadster & Coupe	48
Jaguar XK 120, 140, 150, 3.4 & 3.8	63
Lotus Super 7	67
Lotus Europa Mark 46, 54, 65	71
Triumph GT6, GT6 +	120
Triumph GT6 MK III	121
Triumph TR-4, TR-4A	123
Triumph TR-4A, IRS	124
TVR MK III 1800	132
Yenko Stinger Coupe	136

Class E

Alfa Romeo Giulia Spider Veloce	9
Alfa Romeo Giulia Sprint GT & GTC	10
Alfa Romeo Spider Duetto	12
Austin Healey BN4, BN6 (100-6)	26
Elva Courier MK I, II, III (1622)	44
Elva Courier MK IV-T Ford	46
Elva Courier MK IV (1622)	47
Fiat 124 Sport Spider thru 1972	54
MG-B, MGB-GT	81
Morgan +4	84
Opel GT 1900	88
Porsche 356 1500/1600 A, B, C	90
Porsche 356C/1600 SC, 356B Super 90, Cabriolet	91
Porsche 912 Coupe thru 1968	102
Porsche 912 Coupe/Targa Cabriolet 1969	103
Porsche 914 thru 1972	104

Class H, Continued

Honda S-600 Coupe & Convertible	61
MG TC, TD, TF - 1250	74
MG TF-1500	75
MG Midget (948)	76
Morgan 4/4 MK IV	86
Opel GT 1100	87

Class E, Continued

Saab Sonnett V-4 thru III	107
Triumph TR-2, TR-3, TR-3A, TR-3B	122
Turner 1500	130
TVR MK III 1622	131
TVR Vixen	133
Volvo 1800 (1990cc) 1969, 1800E 1970-1972	135

Class F

Alfa Romeo Giulietta Super Sprint & Spider	3
Alfa Romeo Giulietta Sprint Speciale & Zagato	4
Alfa Romeo Spider 1300 Junior	6
Alfa Romeo Junior Z	7
Alfa Romeo Giulia Sprint & Spider	11
Alpine A-110, 1100	16
Austin Healey Sprite MK IV (1275)	24
Austin Healey BN1, BN2 (100-4, 100M)	25
Datsun SPL-311 & SPL 311U	40
Fiat 124 Spider thru 1972	53
Fiat Abarth OT 1300/124 Coupe	59
Lotus 7 & 7 America 66	66
MG Midget MK III, IV thru 1972	78
MGA 1500, 1600, 1622	79
MGA Twin Cam	80
Morgan 4/4 MKV	85
Sunbeam Alpine	115
Triumph Spitfire MK III	118
Triumph Spitfire MK IV	119
Volvo P-1800, 1800S	134

Class G

Alfa Romeo Giulietta Sprint & Spider	5
Austin Healey Sprite 1100, AN 8 (1100)	23
Datsun SPL 310 U	39
Fiat Abarth 1000 Monomille	56
Fiat Abarth OTS 1000 Coupe	57
Fiat Abarth OT 1000 Spider	58
Honda S800 & S800 Coupe	62
Matra	73
MG Midget AN 2, AN 3	77
Porsche 1300	89
Rene Bonnet CRB	106
Triumph Spitfire MK I & MK II	117
Turner 950S	129

Class H

Austin Healey Sprite MKI & MKII (948)	22
Fiat 850 Spider, Racer thru 1972	52
Fiat Abarth 850S, 750 GT, 750 MM	55

1972 SCCA PCS CAR CLASSIFICATION

Manufacturer: Austin  
 Model: Austin Healey Sprite Mk. I & Mk. II (948) Class: H

**ENGINE**

Manufacturer..... BMC  
 Type..... OHV 4 cyl. inline  
 Bore x stroke.... 2.48" x 3.00"  
 Capacity..... 948 c.c.  
 Head material.... C.I.  
 Block material... C.I.  
 Valve head dia:  
   Intake..... 1.10" or 1.16"  
   Exhaust..... 1.00"  
 Carburation..... Two 1.25" SU on Two 1.25" SU

**TRANSMISSION AND DRIVE TRAIN**

Clutch Diameter: 6.25"  
 Gearbox  
 No. speeds forward: 4  
 Ratios:  

	Std.	Alt.	Alt.	Alt.	Alt.	Alt.
1	3.20	3.63	2.93	2.57		
2	1.92	2.37	1.75	1.72		
3	1.36	1.41	1.24	1.26		
4	1.00	1.00	1.00	1.00		

Overdrive  
 Make & Model: none  
 Ratio.....

Final Drive Ratios: 3.73, 3.91, 4.22, 4.55, 4.88, 5.38

**CHASSIS**

Wheelbase..... 80"  
 Track dimension, Front..... 46"  
 Track dimension, Rear..... 44.75"  
 Wheel diameter..... 13"  
 Rim width..... 3.5"

**BRAKES**  

	Standard	Alternate	Alternate
Front:	7" Drum		
Rear:	7" Drum	See below	

**WEIGHT & CAPACITIES**

Official weight: 1450  
 Radiator capy..... 6 qts.  
 Fuel tank capy..... 7.5 gal.

**Alternate Specifications**

Front track increase to 46.75"

Manufacturer: Austin  
 Model: Austin Healey Sprite Mk. IV (1275) Class: F

**ENGINE**

Manufacturer..... BMC  
 Type..... OHV 4 cyl. inline  
 Bore x stroke.... 2.78" x 3.21"  
 Capacity..... 1275 c.c.  
 Head material.... C.I.  
 Block material... C.I.  
 Valve head dia:  
   Intake..... 1.31"  
   Exhaust..... 1.16"  
 Carburation..... Two 1.25" SU

**TRANSMISSION AND DRIVE TRAIN**

Clutch Diameter: 6.5"  
 Gearbox  
 No. speeds forward: 4  
 Ratios:  

	Std.	Alt.	Alt.	Alt.	Alt.	Alt.
1	3.20	3.63	2.93	2.57		
2	1.92	2.37	1.75	1.72		
3	1.36	1.41	1.24	1.26		
4	1.00	1.00	1.00	1.00		

Overdrive  
 Make & Model: none  
 Ratio.....

Final Drive Ratios: 4.22, 4.55, 4.88, 5.13, 5.38, 3.73, 3.91

**CHASSIS**

Wheelbase..... 80"  
 Track dimension, Front..... 46.75"  
 Track dimension, Rear..... 45.25"  
 Wheel diameter..... 13"  
 Rim width..... 4.5"

**BRAKES**  

	Standard	Alternate	Alternate
Front:	8.3" Disc		
Rear:	7" Drum		

**WEIGHT & CAPACITIES**

Official weight: 1478  
 Radiator capy..... 6 qts.  
 Fuel tank capy..... 7.2 gal.

Alternate Specifications  
 aux. fuel tank - 7.3 gal.

Manufacturer: Austin  
 Model: Austin Healey Sprite 1100, AN8 (1100) Class: G

**ENGINE**

Manufacturer..... BMC  
 Type..... OHV 4 cyl. inline  
 Bore x stroke.... 2.54" x 3.30"  
 Capacity..... 1098 c.c.  
 Head material.... C.I.  
 Block material... C.I.  
 Valve head dia:  
   Intake..... 1.22"  
   Exhaust..... 1.00"  
 Carburation..... two 1.25" SU

**TRANSMISSION AND DRIVE TRAIN**

Clutch Diameter: 7.25"  
 Gearbox  
 No. speeds forward: 4  
 Ratios:  

	Std.	Alt.	Alt.	Alt.	Alt.	Alt.
1	3.20	3.63	2.93	2.57		
2	1.92	2.37	1.75	1.72		
3	1.36	1.41	1.24	1.26		
4	1.00	1.00	1.00	1.00		

Overdrive  
 Make & Model: none  
 Ratio.....

Final Drive Ratios: 3.73, 3.91, 4.22, 4.55, 4.88, 5.125, 5.38

**CHASSIS**

Wheelbase..... 80.0"  
 Track dimension, Front..... 46.75"  
 Track dimension, Rear..... 45.25"  
 Wheel diameter..... 13"  
 Rim width..... 4.0"

**BRAKES**  

	Standard	Alternate	Alternate
Front:	8.2" Disc		
Rear:	7.0" Drum		

**WEIGHT & CAPACITIES**

Official weight: 1466  
 Radiator capy..... 6 qts.  
 Fuel tank capy..... 7 gal.  
 aux. fuel tank

**Alternate Specifications**

8G8732 Servo brake kit

AUSTIN HEALEY SPRITE  
 1972 SCCA PCS  
 (PRODUCTION CAR SPECIFICATION)

Manufacturer: MG Car Company  
Model: MG Midget AN2, AN3

Class: G

**ENGINE**

Manufacturer..... BMC  
Type..... OHV 4 cyl. inline  
Bore x stroke.... 2.54" x 3.30"  
Capacity..... 1098 c.c.  
Head material.... C.I.  
Block material... C.I.  
Valve head dia: 1.22"  
Intake..... 1.22"  
Exhaust..... 1.00"  
Carburation..... two 1.25" SU

**TRANSMISSION AND DRIVE TRAIN**

Clutch Diameter: 7.25"

Gearbox

No. speeds forward: 4

Ratios:

	Std.	Alt.	Alt.	Alt.	Alt.	Alt.
1	3.20	3.63	2.93	2.57		
2	1.92	2.37	1.75	1.72		
3	1.36	1.41	1.24	1.26		
4	1.00	1.00	1.00	1.00		

Overdrive

Make &amp; Model: none

Ratio.....

Final Drive Ratios: 3.73, 4.22, 4.55, 4.88, 5.125, 5.38

**CHASSIS**

Wheelbase..... 80.0"  
Track dimension, Front..... 46.75"  
Track dimension, Rear..... 45.25"  
Wheel diameter..... 13"  
Rim width..... 4.0"

**BRAKES**

	Standard	Alternate	Alternate
Front:	8.2" Disc		
Rear:	7.0" Drum		

**WEIGHT & CAPACITIES**

Official weight: 1466

Radiator capy..... 6 qts.  
Fuel tank capy.... 7 gal.  
aux. FUEL TANK 7 Gal.

Alternate Specifications  
8g8 732 - Servo brake Kit

Manufacturer: MG Car Co.  
Model: MG Midget (948)

Class: H

**ENGINE**

Manufacturer..... BMC  
Type..... OHV 4 cyl. in line  
Bore x stroke.... 2.48" x 3.00"  
Capacity..... 948 cc  
Head material.... C.I.  
Block material... C.I.  
Valve head dia:  
Intake..... 1.16"  
Exhaust..... 1.00"  
Carburation..... Two 1.25" SU

**TRANSMISSION AND DRIVE TRAIN**

Clutch Diameter: 6.25"

Gearbox

No. speeds forward: 4

Ratios:

	Std.	Alt.	Alt.	Alt.	Alt.	Alt.
1	3.20	3.63	2.93	2.57		
2	1.92	2.37	1.75	1.72		
3	1.36	1.41	1.24	1.26		
4	1.00	1.00	1.00	1.00		

Overdrive

Make &amp; Model: None

Ratio.....

Final Drive Ratios: 3.73, 3.91, 4.22, 4.55, 4.88, 5.38

**CHASSIS**

Wheelbase..... 80"  
Track dimension, Front..... 46.0"  
Track dimension, Rear..... 44.75"  
Wheel diameter..... 13"  
Rim width..... 3.5"

**BRAKES**

	Standard	Alternate	Alternate
Front:	7" Drum		
Rear:	7" Drum		

**WEIGHT & CAPACITIES**

Official weight: 1450 lbs.

Radiator capy..... 6 Qts.  
Fuel tank capy.... 7 Gal.

**ALTERNATE SPECIFICATIONS**

Q 2491 Alfin Brake Drums  
Q 2353 (ATA 7154) 8" Front Brakes  
Q 2336 Alternate Fuel Tank - Gal.  
8.2" Disc Brakes - Front (results in front track increase to 46.75")

*MG MIDGET**1972 SCCA PRODUCTION**CAR SPECIFICATION*

Manufacturer: MG Car Company  
Model: MG Midget MK III, IV thru 1972

Class: F

**ENGINE**

Manufacturer..... BMC  
Type..... OHV, 4 cyl., in line  
Bore x stroke.... 2.78" x 3.20"  
Capacity..... 1275 cc  
Head material.... C.I.  
Block material... C.I.  
Valve head dia:  
Intake..... 1.31"  
Exhaust..... 1.16"  
Carburation..... Two 1.25" SU HS2

**TRANSMISSION AND DRIVE TRAIN**

Clutch Diameter: 6.5"

Gearbox

No. speeds forward: 4

Ratios:

	Std.	Alt.	Alt.	Alt.	Alt.	Alt.
1	3.20	3.63	2.93	2.57		
2	1.92	2.37	1.75	1.72		
3	1.36	1.41	1.24	1.26		
4	1.00	1.00	1.00	1.00		

Overdrive

Make &amp; Model: None

Ratio.....

Final Drive Ratios: 4.22, 4.55, 4.88, 5.13, 5.38, 3.73, 3.91

**CHASSIS**

Wheelbase..... 80"  
Track dimension, Front..... 46.75"  
Track dimension, Rear..... 45.25"  
Wheel diameter..... 13"  
Rim width..... 4.5"

**BRAKES**

	Standard	Alternate	Alternate
Front:	8.3" Disc		
Rear:	7" Drum		

**WEIGHT & CAPACITIES**

Official weight: 1478 lbs.

Radiator capy..... 6 Qts.  
Fuel tank capy.... 7.2 Gal.

**ALTERNATE SPECIFICATIONS**

180  
3.2  
1638  
05  
8290

1658  
82

1658  
83.90  
1575